
MISSOURI DEPARTMENT OF CONSERVATION



URI

M

adventures in nature







Black-and-Yellow Garden Spider

ON THE WEB

6 Skulls

You can learn lots about a critter by looking at its skull.

Adul

Spook-tacular Spiders Spiders are scary, hairy, and quite helpful.

DEPARTMENTS

- 1 What Is It?
- 2 You Discover
- 4 Predator vs. Prey
 - How To

5

16

- 14 Wild Jobs
- 15 Strange But True
 - Xplor More



GOVERNOR Jeremiah W. "Jay" Nixon

CONSERVATION COMMISSION

Don C. Bedell James T. Blair, IV Marilynn J. Bradford David W. Murphy

> DIRECTOR Robert L. Ziehmer

XPLOR STAFF

Brett Dufur Les Fortenberry Karen Hudson Regina Knauer Noppadol Paothong Marci Porter Mark Raithel Laura Scheuler Matt Seek Tim Smith David Stonner Nichole LeClair Terrill Stephanie Thurber Cliff White

Xplor (ISSN 2151-8351) is published bimonthly. It is a publication of the Missouri Department of Conservation, 2901 West Truman Boulevard, Jefferson City, M0 (Mailing address: P0 Box 180, Jefferson City, M0 65102.) Subscription free to Missouri residents (one per household); out of state §5 per year; out of country §8 per year. Please allow 6–8 weeks for first issue. Notification of address change must include both old and new address (send mailing label with the subscriber number on it) with 60-day notice. Preferred periodical postage paid at Jefferson City, Missouri, and at additional entry offices. **Postmaster:** Send correspondence to Xplor Circulation, P0 Box 180, Jefferson City, M0 65102-0180. Phone: 573-751-4115, ext. 3856 or 3249.

Copyright @ 2014 by the Conservation Commission of the State of Missouri. Vol. 5, No. 5. October/November 2014 issue printed by RR Donnelley in September 2014 in Liberty, Missouri. Printed in the USA.


Send editorial comments to: Mailing address: Xplor Magazine, PO Box 180, Jefferson City, MO 65102-0180; Email: Xplor@mdc. mo.gov. Please note: Xplor does not accept unsolicited article queries, manuscripts, photographs, or artwork. Any unsolicited material sent will not be returned.

Equal opportunity to participate in and benefit from programs of the Missouri Department of Conservation is available to all individuals without regard to their race, color, national origin, sex, age, or disability. Questions should be directed to the Department of Conservation, PO Box 180, Jefferson City, MO 65102, 573-751-4115 (voice) or 800-735-2966 (TTY), or to the U.S. Fish and Wildlife Service Division of Federal Assistance, 4401 N. Fairfax Drive, Mail Stop: MBSP-4020, Arlington, VA 22203.

> We recycle. You can, too! Share Xplor with friends.

Visit *xplormo.org* for cool videos, sounds, photos, fun facts, and more!

Baby



1 For me, life is mostly black and white. 2 The stripes on my back prevent most attacks.

3 Animals bail when I raise my tail. I'll make you pay if you don't go away.

ith birds flying south, leaves changing color, and hunting seasons gearing up, there's plenty to discover in October and November. Here are a few ideas to get you started.

Sugar maple leaf

than 550 miles along and through our state! Fall river levels are generally low, which means plenty of sandbars for camping.

Numerous Conservation Department boat ramps make it easy to plan an afternoon or overnight float.Visit **missouririverwatertrail.org** to plan your trip. Remember — safety first. Always wear your life jacket!

Create a TREE-MENDOUS movie



This fall, make a stopmotion movie of your favorite tree as it turns to eye-popping crimson reds and oranges. First, take

a series of photos every few days for four to six weeks. Then turn those images into a stop-motion movie using free software available online (ask an adult for help). Try to shoot similar lighting each day, or take a few around dawn or dusk to make the movie more dramatic. Make your movie more gripping by adding tree tidbits from mdc.mo.gov/ node/4564.

Don't miss the chance to Discover Nature at

Hunt quail during YOUTH-ONLY QUAIL SEASON. October 25 and 26. Find conservation areas managed for quail near you at mdc.mo.gov/node/3333. Ages 6–15. Improve your shotgun skills at the FAMILY TRAP SHOOTING WORKSHOP.

Lake City Range, Buckner; October 18, 9–11:30 a.m. Register at 816-249-3194. Ages 12 and older. Learn DUCK CARVING.

Cape Girardeau Conservation Nature Center; November 7–8. For information, call 573-290-5218.

2 | XPLOR

Share a SNACK-0'- LANTERN

Wondering what to do with those pumpkins after Halloween? Put your carved pumpkin on a stump outside your favorite window and put a few inches of birdseed inside it. Enlarge the openings to make it easier for the birds to eat. Then enjoy the antics of the many different birds (and probably a few squirrels) that will delight in your easy-to-make snacko'-lantern!

W-*elk*-ome home the ELK

See some of Missouri's first free-ranging elk in nearly 150 years at Peck Ranch Conservation Area. Take the area's elk driving tour through remote and rugged Ozark country. Increase your chances of elk-spotting success by driving through right after sunrise or before sunset. Watch a video, check for tour closures, and print out a map at mdc.mo.gov/node/15985.

See a total lunar eclipse October 8 between 4 and 7 a.m. The moon, while fully in Earth's shadow, takes on a reddish hue due to the light filtering through the atmosphere. This is the second in a series of four total lunar eclipses, an event called a tetrad. The next blood moons are in April and September of 2015.

HUNT with the WOLVES

Well, OK ... wolf spiders. After dark, put on a headlight and scout out your backyard — you might find the sparkling eyes of thousands of hunting wolf spiders peering back at you — and that's just from the spiders facing you! Or, aim your flashlight at the ground or toward low vegetation about 15 feet in front of you. Move the beam very slowly until you see a small shining spot resembling a tiny star — a spider's eyes.

these fun events.

Go RABBIT HUNTING.

Statewide, October 1 through February 15. Look for good prospects in your area at mdc.mo.gov/ node/28837. Practice SURVIVAL TACTICS FOR THE OUTDOORSMAN. August A. Busch Shooting Range and Outdoor Education Center; October 22 and 23, 6–9 p.m. Register at 636-441-4554.

Ages II and older.



Looking for more ways to have fun outside? Find out about Discover Nature programs in your area at **xplormo.org/node/2616**.

PREDATOR

The struggle to survive isn't always a fair fight. Here's what separates nature's winners from its losers.

oggerhead shrike

PREY

Killer Bill

The loggerhead shrike is a black-masked bandit. This predatory songbird, about the size of a robin, hovers and then attacks from behind. In a flash, its falcon-like beak can sever its prey's spinal cord.

Shrike-Spiked Snacks

^{ra}sshopp^e

Often called the "butcher bird," the shrike skewers grasshoppers and other prey on thorns or barbed wire for when hunting is lean. A shrike's small feet can't grip large prey, so impaling food makes for easier eating.

Habitat Homebodies

Prairie lizards, also known as northern fence lizards, rarely venture far from shelter. These glade-loving, sunbathing slackers are ectothermic, or cold-blooded. To stay warm, they bask in the sun on rocks and dart under them for protection.

Prairie lizard

Cut and Run

A lizard can drop its tail like a flip-flopping, wriggling worm to distract predators from taking a bigger bite. This tail tactic gives stubby a split second to split. A new tail grows back in three to four months.

AND, THE WINNER IS.

The prairie lizard's camo scales make it all but disappear to predators. However, this male lizard — busy flashing his brilliant blue patches while doing push-ups to attract a mate — soon became lizard lunch.

o be a good hunter, you must be a straight shooter. Once your rifle has been sighted in, follow these tips to get better at hitting the bull's-eye.

Find a knowledgeable adult to help you learn how to shoot. Ask them to take you to a shooting range — it's the best place to practice. Locate a nearby range at mdc.mo.gov/node/6209.

Hold the gun steady. Sit at a shooting bench with your feet flat on the ground. Prop your elbows on the bench, place the butt of the gun firmly against your shoulder, and press your cheek tightly against the gun's stock.

Always treat every gun as if it were loaded. Always keep the gun pointed in a safe direction. Always keep the safety clicked on until you're ready to fire. And, always wear eye and ear protection when shooting.

Shoot Straight


 (\mathbf{r})

Look down the barrel of your gun at the target. Your gun probably has open, aperture, or telescopic sights. Figure out which kind you have and line up the sights with the target so it looks like one of **these** pictures. For open or aperture sights, make sure the front sight is centered — both up and down and side to side — in the rear sight.

> Once your sights are lined up with the target, click off the safety and place the tip of your index finger carefully on the trigger.

5

Take a deep breath and hold it for just a second. Slowly let out your breath while gently squeezing the trigger. As the gun fires, keep your cheek on the stock and your focus on the target and sights.



OCTOBER/NOVEMBER 2014 1 5

Make no bones about it, you can learn a skele-ton about an animal by examining its skull. The size, shape, and parts of a skull offer clues to an animal's identity and how it lives. Let's play detective and see what we can learn from these skulls. Ready, Sherlock *Bones*?

> words by Matt Seek

photos by David Stonner 20

SHORT-TAILED SHREW

This tiny skull belongs to one of Missouri's smallest — but deadliest mammals. Shrews use — mammals. Shrews use their front teeth, which stick straight out from their skulls, like tweezers, plucking up insects with ninja-like speed. The teeth look red because they look red because they contain iron, a rust-colored element. Iron makes the teeth stronger so the shrew can chomp through crunchy insect shells.

.....

GREAT BLUE HERON

A heron's eye sockets occupy the sides of its skull. This helps the heron see in many directions at once, making it nearly impossible for a pesky predator to sneak up on it. The eye sockets also point slightly downward, which makes it easy for a heron to spot yummy fish as the bird wades through the marsh.

CANINE INCISOR MOLAR

BLACK BEAR

The large size of this skull is a huge tip-off. Black bears are one of Missouri's most massive mammals. They eat both plants and meat, so their mouths are like Swiss Army knives — equipped with a variety of tools to tackle any eating job. Pointy canines hold prey, sharp incisors snip plants or flesh, and flat molars grind up nuts and stems.

.

THESE SKULLS ARE ACTUAL SIZE!

Turtles don't have teeth, but they do have sharp, bony beaks. And no turtle has a bigger beak than an alligator snapping turtle. Missouri's most massive reptile wields a wedge-shaped snapper that's capable of chopping through bones like a meat cleaver.

0,0

LONGNOSE GAR

The long beak on this skull may make you think it belongs to a bird. It doesn't. The tip-off is the teeth. Birds don't have teeth — teeth are too heavy. This skull belongs to a longnose gar, a kind of fish. Gar gobble their meals whole, so their dagger-like teeth are made to hold onto prey, not rip it apart.

BEAVER

A beaver's skull is thick and burly, made to support huge cheek muscles beavers need to gnaw through trees. You may be thinking, "Somebody get this critter a toothbrush!" But the orange on its teeth isn't plaque. It's a super-hard substance called enamel (ee-nam-ubl). The white substance behind it is called dentine (den-teen). When the beaver chews, the dentine wears away faster, keeping the beaver's chompers razor sharp.

BONEHEADS

A skull is like a built-in helmet that protects an animal's delicate, squishy brain. But that's not the only thing skulls are good for. Skulls hold in place an animal's eyes, ears, and the organs that help it smell and taste. Skulls — and the teeth attached to them — help critters capture and tear apart food. Skulls provide an anchor point for muscles to connect to. Without a skull, animals wouldn't be able to open their pie holes, sing a song, or smile. So, if anyone ever calls you a big bonehead, just say, "Thanks."

BARRED OWL

Owls work nature's night shift, so they need large eye sockets to hold their huge, light-gathering eyes. The eye sockets face forward, giving owls excellent depth perception — a big bonus when swooping after prey at breakneck speeds. If you were to hold an owl's skull, it would feel light. Bird bones are thin-walled and filled with air to lighten the load for flying.

ENAMEL DENTINE



It's creepy. It's crawly. It lives in the shadows and spins webs in impossible places. Then it waits ... Suddenly, a bee crashes into the spider's sticky strands. The bee struggles and tries to escape. From

the darkness, our spider reappears. The drama crescendos. Ready, aim, bite. In less time than it takes our spider to wrap up its midnight snack, you'll see how spiders are more than just creepy and crawly — they're *spook*-tacular!

Black-and-Yellow Garden Spider

These large, harmless spiders spin orb-shaped webs with a zigzag up the center, called a stabilimentum. This might lure in insects, keep birds away, or strengthen the web. Most garden spiders build new webs each night. They eat the old web at dusk and start all over. In spring, look for spiderlings "ballooning" by on strands of silk that catch the breeze. Below, a garden spider wraps a bee in silk after using its fangs to inject fast-acting venom to paralyze it.

Garden spider photos by Noppadol Paothong







Fishing Spider -

Fishing spiders are easy to spot near lakes and ponds. They hunt on land, water, and deep below. Their eight eyes and an array of vibrationdetecting organs and sensitive hairs make sure nothing slips by. Fishing spiders often rest their front legs on the water's surface so that vibrations alert them to possible prey nearby. They walk on water and can sail by raising a few of their legs into a gentle breeze. By trapping air bubbles on their legs, fishing spiders can breathe underwater for up to half an hour.





s by Jim Rati



Jumping Spider

Jumping spiders, though perfectly harmless, can be intimidating with their habit of jumping — sometimes even at you! Generally this is all in the name of escape. Jumping spiders don't stay put on a web like most spiders. Instead, jumping spiders stalk their prey. They use silk as an anchor, attaching a strand before leaping on their next meal, so they can climb back to their original spot if they miss. Considering all the insects they consume, jumping spiders are quite beneficial to humans.

Marbled Orb Weaver

Marbled orb weavers are common in Missouri

and are one of the prettiest spiders to observe. They are generally bright yellow but also can be pale yellow, orange, beige, or white. Female marbled orb weavers build wheel-shaped webs among trees and tall weeds in moist woods and near streams. Marbled orb weavers perform a great service to us by consuming many insects that we often find a nuisance, especially moths and flies.

These hairy brutes are Missouri's largest spiders. Despite their terrible reputation (thanks Hollywood), tarantulas are actually shy by nature and try to avoid humans. Found in southern Missouri, tarantulas live in old rodent dens and other cavities instead of spinning webs. At night, they pursue crickets and grasshoppers, and also feed on young mice, amphibians, and baby birds. Like other spiders, they have fangs that deliver venom that

subdues and helps digest their prey.

Crab Spider

Crab spiders are master hunters. Instead of building webs, they rely on stalking skills to ambush flies, butterflies, and other tasty morsels. Some crab spiders even change colors to match the flowers they are hunting from. These spiders are easy to identify because their extended front legs give them a crab-like appearance. Crab spiders are easy to find, they come in many different colors, and they are fun to watch.

Wolf Spider

babies

Wolf spiders are big enough to give you the heebie jeebies, growing as large as 3 inches across. Fortunately, they're harmless and hugely beneficial. Wolf spiders work hard to rid us of unwanted insects like grasshoppers, moths, and flies. They can be found hunting at night in your backyard or local park, and even in your basement or garage. When the babies hatch, they ride around on mom's back until they're ready to be on their own.



Brown Recluse

Few spiders pose a threat to you, but a brown recluse or black widow bite is serious. Recluses are found in many homes, but they're shy and rarely seen. They only bite when trapped against your skin. For ID, look for the fiddle shape on their back.



Black Widow

Look for the red hourglass on a black widow's abdomen. If you see one in nature, consider yourself lucky and study it. They are not aggressive — their first instinct is to flee. If a black widow or brown recluse bites you, see a doctor.

OCTOBER/NOVEMBER 2014 | 13

STURGEON SURGEON TRAVIS MOORE EQUIPS SLIPPERY PATIENTS WITH HIGH-TECH TRACKING DEVICES

Q: WHAT'S A LAKE STURGEON?

A: Lake sturgeons are Missouri's largest and longest-living fish. They can weigh more than 200 pounds and live more than 100 years. They have whiskers, rubbery snouts, and toothless, tube-shaped mouths that they use to suck insects off the bottom of big rivers.

Q: HOW DO YOU OPERATE ON A STURGEON?

A: We place the sturgeon on its back, strap it down, and put a hose in its mouth to pump water over its gills. I use a scalpel to make a tiny cut in the fish's belly so I can put a transmitter inside. Then I stitch the sturgeon up. The whole thing takes less than 5 minutes.

Q: DOES IT HURT THE FISH?

Lake sturgeon

A: Nope. We've re-caught fish that we operated on earlier. You can't even see a scar where we put in the transmitter.

Q: WHAT DO THE TRANSMITTERS DO?

A: Each transmitter puts out a unique pattern of beeps. We use underwater microphones to listen for the beeps so we can find and follow individual sturgeons. It's like playing high-tech hide-and-seek with a bunch of great big fish.

(Q: WHY DO YOU TRACK STURGEONS?

A In the 1800s, lake sturgeons nearly disappeared from Missouri because of habitat loss, pollution, and unregulated fishing. We want to learn where sturgeons hang out, where they lay eggs, and where they travel. That way, we can protect those places and provide more places

like them.

14 T XPLOR

YOUR GUIDE TO ALL THE UNUSUAL UNIQUE. AND UNBELIEVABLE STUFF THAT GOES ON IN NATURE

Quit being so sensitive! SENSITIVE BRIAR, a vinelike plant with pink pompomshaped flowers and prickly thorns, has a neat trick up its stem. If you touch its leaves, they immediately wilt and fold shut.

Baby SPITTLEBUGS suck sap from plants and turn it into bubbly, spit-like foam. The bugs snuggle inside the slobber, safe from predators and the heat of the sun. Although the foam looks like spit, it's not. It actually comes from a spittlebug's other end.




An adult **SPOONBILL'S** beak looks

like someone stepped on the tip and smashed it pancake flat. Baby spoonbills, however, hatch with tube-shaped beaks that look more like a duck's bill. The beaks don't begin to flatten until the chicks are 9 days old. Who you calling scum sucker? STONEROLLERS use their chisellike lower jaws to scrape algae — aka pond scum — off of rocks and other underwater objects. Each day, a stoneroller scarfs down enough scum to equal a third of its body weight.

SPADEFOOT TOADS tunnel underground using hard, shovel-shaped bumps on their hind feet. These tough toads absorb water through their skin from the surrounding soil. During droughts, they can lose half the water in their bodies and still survive.

SLUGS slide from place to place on a slick layer of slime. The bottom part of a slug's body, called a foot, oozes mucus onto whatever it touches.



1203

Ambush anglers: **SOFTSHELL TURTLES** bury themselves in sand at the bottoms of rivers, leaving only their heads exposed. When fish swim nearby, the turtles stretch out their long necks, and — CHOMP! — the fish disappear.

FOUR KINDS OF SNAKES ARE SPENDING WINTER IN THIS DEN, BUT THEY'VE GOTTEN ALL TANGLED UP.


mber

Can you count how many of each kind there are?

SII

Hint: Circle the head of each snake as you count it. That way you won't count it twice.

Unlike mammals and birds, which have fur and feathers to keep them toasty, snakes can't survive freezing winter weather. So when temperatures start to fall in the fall, snakes slither into caves, cracks in cliffs, and animal burrows. They stay there until spring, coiled and cozy, waiting for warmer weather. Sometimes dozens of snakes use the same winter den — sort of like a serpent slumber party.



-FROM PAGE 1 -

A striped skunk's bold white stripes tell other animals, "Stay away!" When critters miss the hint, a skunk may growl, stamp its feet, puff out its tail like a scared cat, or do a handstand and

walk on its front legs. If these warnings don't work, the skunk points its backside at the offending creature and releases a horrible-smelling spray. The spray can squirt 20 feet, and the stink may drift more than a mile.



Next time you take a reading break, stake your page with a ring-

Ring-necked snakes rarely grow thicker than a pencil or longer than a ruler


Fold here

Ring-necked snakes rarely bite but often release a stinky liquid when handled.

These secretive snakes hide under rocks, logs, and leaves.

They eat earthworms, insects, and small salamanders

necked snake. Carefully cut along the edge of the snake, fold at the dotted line so the snake's top side lines up with its bottom side, and then glue the top and bottom together. To learn more about this harmless, colorful snake, visit mdc.mo.gov/node/6538.



SUBSCRIBE ONLINE xplormo.org/node/2618 FREE TO MISSOURI HOUSEHOLDS

HEY KIDS Keep an eye out for the next issue of *Xplor*. It won't come in December like it normally does. Instead, it will arrive in January. Why the delay? We're adding four fun-filled pages and more awesomeness than you can shake a tail feather at. Hoot, hoot, hoo-ray!